



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--------------------------------------------------------------------------------------------------------------|-------------|----------------------|-------------------------|------------------------|
| 10/521,905 | 01/20/2005 | Klaus Kock | 2002P09019W0US | 7120 |
| 7590 Siemens Corporation Intellectual Property Department 170 Wood Avenue South Iselin, NJ 08830 | | | EXAMINER MIAH, LITON | |
| | | | ART UNIT 2617 | PAPER NUMBER |
| | | | MAIL DATE 12/31/2008 | DELIVERY MODE PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

| APPLICATION NO./ CONTROL NO. | FILING DATE | FIRST NAMED INVENTOR / PATENT IN REEXAMINATION | ATTORNEY DOCKET NO. |
|---------------------------------|-------------|---------------------------------------------------|---------------------|
| 10521905 | 1/20/2005 | KOCK, KLAUS | 2002P09019WOUS |

Siemens Corporation
Intellectual Property Department
170 Wood Avenue South
Iselin, NJ 08830

EXAMINER

LITON MIAH

ART UNIT PAPER

2617 20081223

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

This is a correction notice for the examiner's answer mailed on 11/12/2008, because there was a typographical error that need to be corrected. In section (8) Evidence Relied Upon of the examiner's answer the reference Ward has incorrect number (6,262,417). The correct patent number for reference Ward should read 6,282,417. In section (8) Evidence Relied Upon of the examiner's answer, the number for reference Ward should be 6,282,417 instead of 6,262,417.

/George Eng/
Supervisory Patent Examiner, Art Unit 2617